



CORNELL

Emergency Response Systems

SW-206/210 & SW-406/410 Call Cords



SW-206



SW-406

CORNELL LightTouch Call Cords are the cords of choice wherever oxygen is in use or patients are weakened.

LightTouch Call Cords are for use with CORNELL Bedside Stations. LightTouch Call Cords are activated by exerting just minimum pressure on the air bulb (SW-206/SW-210) or the button (SW-406/SW-410) connected to hospital grade vinyl air pressure cords. The right angle type plugs are molded to the white call cords for extra long life. Bedding clips are included.

Electrical Operation: The operator pressure caused momentary contact of the switch located at the bedside station end of the call cord.

Sizes: Available in a bulb style in 6' lengths (SW-206) or 10' length

(SW-210); or in a Button style in 6" lengths (SW406) or 10' lengths (SW-410).

ENGINEERING SPECIFICATIONS

The contractor shall furnish and install the CORNELL LightTouch Call Cords for (oxygen) (geriatric) application. The cords shall be 6' or 10' and shall be activated via momentary contact on the attached bedside actuator switch. The white call cords shall feature molded, right angle standard 1/4" plugs and a bedding clip.

The SW-206/SW-210 and the SW-406/SW-410 are pneumatic actuation and both are suitable for oxygen environments.

1-800-558-8957

CORNELL COMMUNICATIONS, INC.

Milwaukee, Wisconsin USA - 800-558-8957 - 414-351-4660 - Fax 414-351-4657
www.cornell.com - sales@cornell.com

